

# QSP

WWW.QSPONLINE.COM

# QSP

QUALITY  
AFTERMARKET  
EQUIPMENT  
PARTS



QUALITY STAINLESS PRODUCTS

MADE IN USA



## LM-200

### Tire & Wheel Lift

*REDUCE INJURY POTENTIAL*

*IMPROVE PRODUCTIVITY*

*MOUNT & DEMOUNT WITH EASE*

### Specifications:

Model LM-200

Max roller height - 40¼"

Height - 61½"

Width - 31"

Depth - 29"

Lifting capacity - 200 lb.

Rise time - 6 seconds

U.S. Patent No. 8,684,654  
U.S. Patent No. 9,302,543

Heavy-duty swivel casters (two locking) make it easy to maneuver.



QUALITY STAINLESS PRODUCTS

## LM-200 Features

- ★ Increase productivity with the LM-200 Tire & Wheel Lift.
- ★ The QSP air powered mobile tire lift assists technicians by making everyday tasks much easier.
- ★ Maintains raised height when shop air is removed.
- ★ With heavy tire and wheel assemblies for today's vehicles, it can be difficult and dangerous for one person to lift in place.
- ★ This lift has steel rollers that are offset from the column to allow for easier lug nut access.



Heavy lifting accounts for 20% of all workplace injuries. The LM-200 is a powerful lift that can reduce those injuries and will be a workhorse in your shop for many years.

QUALITY STAINLESS PRODUCTS



## LM-200-R

## LM-200-R Features

### Rechargeable Tire & Wheel Lift

- ★ Lifts up to 200 lb. tire/wheel assemblies
- ★ Rises to full height in approx. 10 seconds
- ★ 24V battery charging system INCLUDED!
- ★ Steel tire rollers for easy lug nut alignment
- ★ Offset design allows easy access to lug nuts
- ★ Easily transport tire assembly to balancer or tire changer
- ★ Swivel casters (two locking) make it easy to maneuver
- ★ Foot lever brake ensures you are locked in place.




U.S. Patent No. 8,684,654  
U.S. Patent No. 9,302,543



Heavy lifting accounts for 20% of all workplace injuries. The LM-200-R provides the operator with a safe and easy way of removing or installing the heavy duty tire/wheel assembly on today's heavy duty vehicles.

QUALITY STAINLESS PRODUCTS



U.S. Patent No. 8,684,654  
U.S. Patent No. 9,302,543



24V quality battery charger included



Steel tire rollers make for easy lug nut alignment



Heavy duty swivel locking casters provide easy and safe movement

QUALITY STAINLESS PRODUCTS

## LM-350

### Tire & Wheel Lift

*REDUCE INJURY POTENTIAL*

*IMPROVE PRODUCTIVITY*

*MOUNT & DEMOUNT WITH EASE*

### Specifications:

Model LM-350

Max roller height - 43"

Height - 61"

Width - 38½"

Depth - 47"

Lifting capacity - 350 lb.

Rise time - 6 seconds



U.S. Patent No. 8,684,654  
U.S. Patent No. 9,302,543

Heavy-duty swivel casters (two locking) make it easy to maneuver.

Heavy lifting accounts for 20% of all workplace injuries. The LM-350 provides the operator with a safe and easy way of removing or installing the heavy duty tire/wheel assembly on today's heavy duty vehicles.

QUALITY STAINLESS PRODUCTS

## LM-350 Features

- ★ With heavy tire and wheel assemblies for today's vehicles, it can be difficult and dangerous for one person to mount and demount.
- ★ The off center column design allows for easier access to lug nuts, wheel balancers and tire changers.
- ★ Variable speed control for raising and lowering wheel assembly safely.
- ★ Dual rollers allow for independent rear dual wheel rotation.



QUALITY STAINLESS PRODUCTS



## LM-500

## LM-500 Features

Heavy Duty Air Operated  
Tire & Wheel Lift

### Specifications:

Model LM-500  
Max roller height - 40 $\frac{3}{4}$ "  
Height - 72 $\frac{7}{8}$ "  
Width - 42"  
Depth - 47"  
Lifting capacity - 500 lb.  
Rise time - 6 seconds



U.S. Patent No. 8,684,654  
U.S. Patent No. 9,302,543

Heavy lifting accounts for 20% of all workplace injuries. The LM-500 provides the operator with a safe and easy way of removing or installing the heavy duty tire/wheel assembly on today's heavy duty vehicles.

QUALITY STAINLESS PRODUCTS



Convenient  
Tool Tray

U.S. Patent No. 8,684,654  
U.S. Patent No. 9,302,543



Responsive single lever air control  
for easy raising and lowering



Dual rollers with high quality  
bearings for easy lug alignment



Heavy-duty swivel  
casters for easy  
maneuvers while  
carrying max load

QUALITY STAINLESS PRODUCTS

## DB-8000-XL

Air Operated Strut Compressor

The Reliable Tool  
For Today's Safety  
Conscious Shops

- ★ Make easy work of changing struts
- ★ Can handle the heaviest of "Coil Over Shocks"
- ★ Safe - The 4-point spring contact system during compression assures even pressure distribution



QUALITY STAINLESS PRODUCTS

## DB-8000-XL Features



• Tool Storage Tray

Adjustable Extra Strong Clamps •  
Single and double clamps are interchangeable to meet any position of the coils. Perfect grip every time.




• Front Safety Guard

Safety Microswitch •  
Prevents operating if guard is not correctly positioned



• Lower Support Plate  
Holds strut when upper cap is unscrewed, prevents it from falling down. Allow for full use of both hands.

Twin Foot Pedals •  
For easy operation.



QUALITY STAINLESS PRODUCTS



## MSC-1000

Mechanical Strut Compressor

**The Reliable Tool  
For Today's Safety  
Conscious Shops**



- ★ Tool storage tray
- ★ All 4 clamps adjust individually
- ★ Front safety guard
- ★ Spring is compressed by turning the lead screw
- ★ Lead screw can be turned with air tools

Wall mount is standard

Shown with optional floor mount and lower support plate

QUALITY STAINLESS PRODUCTS

## DB-6000

Bolt-on Alignment

- ★ Converts most general service lifts into an alignment lift
- ★ 60" x 20" full floating rear slip plates
- ★ Easy to service and repair
- ★ Plastic base on rear slip plate prevents rusting
- ★ Custom sizes available



Shown with optional Turnplates

Turnplates not included.  
\*Available in stainless steel or black powder coated mild steel

Options:

Rear slip plates with stainless steel insert

80" slip plates available

Can be supplied for 22" or 24" wide runway



QUALITY STAINLESS PRODUCTS

## TD-100

Transmission  
Teardown Bench

- ★ 3" diameter caster option
- ★ 60"w x 30"d and 12 gauge stainless steel top
- ★ Lip on all sides and features off-set drain
- ★ 12" lower storage shelf
- ★ 1½" NPT threaded drain connector



QUALITY STAINLESS PRODUCTS

## WORK BENCHES

Optional stainless steel top

- ★ 30" x 60" x 34" high
- ★ Extra strong tubular steel construction
- ★ All welded and ready for use
- ★ 12 gauge steel top and shelf



- ★ Customizable
- ★ Stationary or mobile
- ★ Stainless counter top (optional)

### Product Specs

	<b>WB-200-24</b>	<b>24" x 60" x 34" tall</b>
options	WB-200-24-S	(shelf)
	WB-200-24-SS	(stainless top)
	<b>WB-200-30</b>	<b>30" x 60" x 34" tall</b>
options	WB-200-30-S	(shelf)
	WB-200-30-SS	(stainless top)

**WORK ORGANIZED**  
**WORK EFFICIENT**

QUALITY STAINLESS PRODUCTS



## Portable Alignment Stands

## RB-24

### Model DB-24MD

Medium Duty Wheel Stands with built-in Turnplates and slip plates



This design in wheel alignment stands has the Turnplates and slip plates built right into the stands. These stands are made with 1/4" steel tops and are rated at 2500 lb. per stand.



### 20-24W

Optional roller kit is available and includes 4 handles and 4 sets of wheels.



QUALITY STAINLESS PRODUCTS

### Rolling Compensation Alignment Stand

2500 lb. capacity per stand  
Wheel kit with sliding handle included with each stand



★ Removable "bridge" included for roll-back with locked Turnplate.

★ Turnplates built into the alignment stand

★ Fold down wheel stops standard for clearance when using contact lifts

★ Roll-back distance is 15" with a 30" OD (overall diameter) tire.  
When split roll is required there is room for 9" of forward roll  
Smaller tires have a greater roll-back distance.



QUALITY STAINLESS PRODUCTS

## JW-9000 Rolling Jacks


## Rolling Jacks

- ★ 9,000 lb. lifting capacity
- ★ Dual air bags (No Hydraulics)
- ★ Includes rubber support pads
- ★ 3" and 6" stackable adapters
- ★ Dual push button control allows the operator to raise the jack while keeping both hands in a safe position.
- ★ The universal mounting brackets adjust to a lift rail opening of  $38\frac{11}{16}"$  to  $52\frac{3}{16}"$  measured from center to center of the rail.
- ★ The rollers compress while under load to prevent the jack from rolling while in operation.
- ★ Lowering is accomplished with one hand on the release lever and the other hand releasing the mechanical safety stop.
- ★ Total weight of jack - 350 lb.

open



closed




QUALITY STAINLESS PRODUCTS

Available in 3 models with different weight capacities, providing capabilities for most lifts.

RJ-6000 – 6,000 lb. Capacity

RJ-7000 – 7000 lb. Capacity

RJ-8000 – 8000 lb. Capacity



- ★ Reliable
- ★ Full-Pneumatic operation
- ★ Low maintenance
- ★ Durable, versatile and easy to use
- ★ Fast and smooth operation
- ★ Unlike most Jacks, which are air over hydraulic construction, QSP's are pneumatic – no oil leaks
- ★ Lifting height is 8"
- ★ Can be configured to fit most OEM 4 Post and Scissor Lifts
- ★ In the stored position, it is flush with the runway

QUALITY STAINLESS PRODUCTS




## Wheel Alignment Turnplates

**25-129**  
Stainless steel Turnplates  
with handles  
4,500 lb. Capacity per plate



**25-150-S**  
BendPak style stainless steel  
Available in black  
1 3/4" or 2" height  
4,500 lb. Capacity per plate



**25-129-P**  
Stainless steel Turnplates  
with pointer  
4,500 lb. Capacity per plate



**25-130**  
Medium duty stainless steel  
Turnplate also available in black  
7,500 lb. Capacity per plate



**Red 25-140**  
Mild steel Turnplate  
**Black 25-140-B**  
**Pointer 25-140-P**  
4,500 lb. Capacity per plate



**25-24**  
Heavy duty truck Turnplates  
with handles - red or black  
Available in stainless steel  
Available in aluminum  
(Aluminum only weighs 40 lb. each)  
15,000 lb. Capacity per plate



QUALITY STAINLESS PRODUCTS



QUALITY STAINLESS PRODUCTS

## Tire Changer

### Accessories



Red Replacement Mount Head  
Hunter RP6-0343



Leverless  
Hunter RP6-710014120



Nylon Mount/Demount  
Head Kit  
TC-14024784



Replacement Coats  
Mount/Demount  
8183061



Nylon Mount/Demount  
Head Only w/ Round Hole  
TC-450310



Tapered Hole Stainless Steel  
Mount/Demount Head Kit  
TC-182788



Nylon Mount/Demount Head  
TC-20024335



Nylon Mount/Demount  
Head Kit w/ Round Hole  
TC-250309



Bead Depressor  
Drop Center Tool  
2200011



20" Bead Lifting Tool  
For All Rim Clamp Tire Changers  
RP6-0322




Repair Base & Spreader  
7828

QUALITY STAINLESS PRODUCTS

## Brake Lathe/Balancer

### Brake Lathe Accessories



Silencer Bands



Tool Holder



Carbide Bits



Shafts & Cones



### Balancer Tools & Accessories



Flange Plates




Cones



Quick Clamp  
Wing Nuts



Wheel Weight Tools




QUALITY STAINLESS PRODUCTS




## Tools & Supplies

Tire Changer  
Rubber Mount



Steering Wheel  
Holder



Tire Changer  
Mount Heads



Mounting Aid



Brake Pedal Depressor



Valve Stem Pliers



Brake Lathe Bits



Weight Hammers



Quick Wing Nut



Lube  
Bucket



Brake Lathe Adapters



Hub Cap Hammer



Flange Plate Kits



Distributed by:

QUALITY STAINLESS PRODUCTS

MADE IN USA

